

Maked You  
Moved Everywhere



*Wesdy*<sup>®</sup>

# About Us

Cixi Wesdy Electrical Appliance Co.Ltd. was established 2000. We are located in Zhouxiang town, Cixi city, Zhejiang, China, which is in the south bank of Hangzhou Bay, connecting with Shanghai through the cross sea Hangzhou bay bridge.

Our Company is professional manufacture and exporter with designing, developing, producing, selling and relative services. We specialize in producing various of electric irons. Moreover, Our company have got BSCI and ISO 9001 and the products have got CE/GS/CB/EMC/LVD/RoHS/REACH/ERP/CCC approval of European Union and have exported to overseas.

We have advanced producing, testing equipment and first -class assembly line. We pay great attention to product quality to make sure that supply the excellent products.

We regards "pursuing the excellence, demand the classic" as a goal, focus on exploration of new products, and the improvement of technical quality. We provide quality products and best service to all new and old customers with good reputation !

       
**REACH RoHS LVD EMC BSCI**



safety



economical



convenient

# WESDY ELECTRIC IRON

Safety and eye catching design  
Reliable and high quality  
Conforms to relevant standards

# WESDY ELECTRIC IR



## WSD-009

- Steam ironing
- Temperature adjust knob
- Indicator light
- Optional function: auto-shut off ,anti drip,anti calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 1600ml
- Steam rate:min: 26±5g/min,mid:35±5g/min,max:45±5g/min
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 38.5\*22.2\*27cm

Carton size: 46\*39\*55.5cm

QTY/CTN: 4pcs

N.W/G.W: 12/12.8kgs

iron size: 27\*12.3\*13.2cm

Base size: 35.5\*19.3\*16.7cm

Plate size:12\*21.5cm

QTY/20'GP: 1120pcs

QTY/40'GP: 2320pcs

QTY/40'HQ: 2720pcs



# ON





# WSD-006

- Steam ironing
- Steam rate adjust knob
- Indicator light
- Optional function : auto-shut off
- Water capacity: 220ml
- Steam rate:  $22 \pm 5$ g/min
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1400-1600W

Giftbox size: 28\*15\*13cm  
 Carton size: 62\*29\*27.5cm  
 QTY/CTN: 8pcs  
 N.W/G.W: 8.2/8.7kgs  
 Unit size: 25.2\*14.5\*11.6cm  
 Plate size: 11\*6cm  
 Boiler weight: 200g  
 QTY/20'GP: 4480pcs  
 QTY/40'GP: 9360pcs  
 QTY/40'HQ: 11000pcs



# WSD-016

- Steam ironing
- Steam rate adjust knob
- Indicator light
- Optional function: auto-shut off
- Water capacity: 360ml
- Steam rate:  $22 \pm 5$ g/min
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1400-1600W

Giftbox size: 30.5\*11.5\*13.5cm

Carton size: 47.5\*31.5\*28.5cm

QTY/CTN: 8pcs

N.W/G.W: 8/8.5kgs

Unit size: 30\*11\*13cm

Plate size: 10.7\*4.8cm

Boiler weight: 200g

QTY/20'GP: 5200pcs

QTY/40'GP: 10800pcs

QTY/40'HQ: 12704pcs





safety



economical



convenient

# WESDY ELECTRIC IRON







# WSD-508

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function :Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 260ml
- Steam rate:  $20 \pm 5$ g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360°with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 26.3\*11.2\*13cm  
 Carton size: 57.5\*27.3\*27.5cm  
 QTY/CTN: 10pcs  
 N.W/G.W: 8.5/9.0kgs  
 Unit size: 25.8\*10.7\*12.8cm  
 Plate size: 201\*107cm  
 Plate weight: 260g  
 QTY/20'GP: 6400pcs  
 QTY/40'GP: 13400pcs  
 QTY/40'HQ: 15750pcs



# WSD-338

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 25.5\*11.5\*13cm  
Carton size: 47.5\*26.5\*40.5cm  
QTY/CTN: 12pcs  
N.W/G.W: 8/8.5kgs  
Unit size: 25.5\*11\*12cm  
Plate size: 20.5\*11cm  
Plate weight: 149g  
Weight support: 400g  
QTY/20'GP: 6588pcs  
QTY/40'GP: 13644pcs  
QTY/40'HQ: 15996pcs





# WSD-288

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function :Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 30±5g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 31.5\*12.6\*15.5cm

Carton size: 66\*33\*33cm

QTY/CTN: 10pcs

N.W/G.W: 11/11.5kgs

Unit size: 30\*12.5\*15.5cm

Plate size: 22.8\*12.5cm

Plate weight: 371g

QTY/20'GP: 3880pcs

QTY/40'GP: 8050pcs

QTY/40'HQ: 9450pcs



# WSD-218

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 300ml
- Steam rate:  $25\pm 5\text{g}/\text{min}$
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 28\*11.5\*15cm  
Carton size: 59\*29.5\*31.5cm  
QTY/CTN: 10pcs  
N.W/G.W: 9.7/10.2kgs  
Unit size: 27.5\*11.5\*15cm  
Plate size: 21.3\*11.3cm  
Plate weight: 277g  
QTY/20'GP: 5100pcs  
QTY/40'GP: 10500pcs  
QTY/40'HQ: 12350pcs





# WSD-428

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity:400ml
- Steam rate:  $28 \pm 5\text{g}/\text{min}$
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 30.5\*12\*16cm

Carton size: 63\*32\*34cm

QTY/CTN: 10pcs

N.W/G.W: 11.5/12kgs

Unit size: 30.5\*12\*15cm

Plate size: 22.5\*11.5cm

Plate weight: 330g

QTY/20'GP: 4080pcs

QTY/40'GP: 8400pcs

QTY/40'HQ: 9900pcs



# WSD-118

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 300ml
- Steam rate:  $25 \pm 5\text{g}/\text{min}$
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 28.5\*11.3\*15.5cm  
Carton size: 59.5\*30\*33cm  
QTY/CTN: 10pcs  
N.W/G.W: 9.6/10.1kgs  
Unit size: 28.5\*11.3\*15cm  
Plate size: 21.3\*11.3cm  
Plate weight: 277g  
QTY/20'GP: 4600pcs  
QTY/40'GP: 9800pcs  
QTY/40'HQ: 11500pcs





# WSD-318

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 300ml
- Steam rate:  $25 \pm 5$ g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 28.5\*11.5\*15cm

Carton size: 60.5\*30\*32cm

QTY/CTN: 10pcs

N.W/G.W: 9.5/10kgs

Unit size: 28\*12\*14.5cm

Plate size: 21.3\*11.3cm

Plate weight: 277g

QTY/20'GP: 4800pcs

QTY/40'GP: 9950pcs

QTY/40'HQ: 11650pcs



# WSD-108

- Dry Iron/steam ironing/water spray
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 300ml
- Steam rate: 10±5g/min
- Spray rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 27.5\*11\*14.5cm

Carton size: 58\*28.5\*31cm

QTY/CTN: 10pcs

N.W/G.W: 8.15/8.65KGS

Unit size: 27.3\*10.5\*14cm

Plate size: 20.7\*10.7cm

Plate weight: 200g

QTY/20'GP: 5200pcs

QTY/40'GP: 10900pcs

QTY/40'HQ: 12800pcs







# WSD-358

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 160ml
- Steam rate:  $20 \pm 5$ g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 26\*10.5\*13.5cm

Carton size: 55\*27.5\*28.5cm

QTY/CTN: 10pcs

N.W/G.W: 8.3/8.8kgs

Unit size: 25\*10\*13cm

Plate size: 18.4\*10cm

Plate weight: 221g

QTY/20'GP: 6400pcs

QTY/40'GP: 13400pcs

QTY/40'HQ: 15750pcs



# WSD-258

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 160ml
- Steam rate: 20±5g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 26\*10\*13.5cm  
Carton size: 51.5\*27\*28.5cm  
QTY/CTN: 10pcs  
N.W/G.W: 8/8.5kgs  
Unit size: 25\*10.5\*13cm  
Plate size: 18.4\*10cm  
Plate weight: 221g  
QTY/20'GP: 7000pcs  
QTY/40'GP: 14600pcs  
QTY/40'HQ: 17100pcs





# WSD-158

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate:stainless steel/non-stick coating /ceramic coating
- Water capacity: 140ml
- Steam rate:  $20 \pm 5$ g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 25.5\*10.5\*13.5cm  
 Carton size: 54\*26.5\*28.5cm  
 QTY/CTN: 10pcs  
 N.W/G.W: 8.3/8.8kgs  
 Unit size: 25\*10.5\*13cm  
 Plate size: 18.4\*10cm  
 Plate weight: 221g  
 QTY/20'GP: 6800pcs  
 QTY/40'GP: 14000pcs  
 QTY/40'HQ: 16600pcs



# WSD-188

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 30±5g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 30\*12.5\*15.5cm  
Carton size: 64.5\*31\*33cm  
QTY/CTN: 10pcs  
N.W/G.W: 12/12.5kgs  
Unit size: 30\*11.5\*15cm  
Plate size: 22.8\*12.5cm  
Plate weight: 330g  
QTY/20'GP: 4200pcs  
QTY/40'GP: 8750pcs  
QTY/40'HQ: 10250pcs





# WSD-168

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 280ml
- Steam rate:  $30 \pm 5$ g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 31\*12\*16cm  
 Carton size: 62.5\*32\*33cm  
 QTY/CTN: 10pcs  
 N.W/G.W: 12.3/12.8kgs  
 Unit size: 30.5\*11.5\*15.5cm  
 Plate size: 23\*11.5cm  
 Plate weight: 367g  
 QTY/20'GP: 4100pcs  
 QTY/40'GP: 8600pcs  
 QTY/40'HQ: 10100pcs



# WSD-068

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 30±5g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 29.5\*12\*15cm  
Carton size: 61.5\*30\*31cm  
QTY/CTN: 10pcs  
N.W/G.W: 11.85/12.35kgs  
Unit size: 29.2\*11.7\*13.9cm  
Plate size: 22.5\*12cm  
Plate weight: 367g  
QTY/20'GP: 4700pcs  
QTY/40'GP: 9800pcs  
QTY/40'HQ: 11600pcs

hello MONDAY





# WSD-328

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate:  $30 \pm 5$ g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 30\*11.5\*15cm  
 Carton size: 60\*31\*32cm  
 QTY/CTN: 10pcs  
 N.W/G.W: 11.2/11.7kgs  
 Unit size: 29.5\*11.5\*15cm  
 Plate size: 22.5\*11.5cm  
 Plate weight: 330g  
 QTY/20'GP: 4700pcs  
 QTY/40'GP: 9700pcs  
 QTY/40'HQ: 11400pcs



# WSD-128

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-clac,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 25±5g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 29.5\*13\*15cm  
Carton size: 67.5\*30.5\*31.5cm  
QTY/CTN: 10pcs  
N.W/G.W: 11.9/12.4kgs  
Unit size: 29.5\*12.8\*14.3cm  
Plate size: 24.1\*13cm  
Plate weight: 356g  
QTY/20'GP: 4300pcs  
QTY/40'GP: 8800pcs  
QTY/40'HQ: 10450pcs







## WSD-028

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate:  $22 \pm 5$ g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 28.5\*13\*15.5cm  
 Carton size: 67.5\*29.5\*32.5cm  
 QTY/CTN: 10pcs  
 N.W/G.W: 12.3/12.7kgs  
 Unit size: 28.4\*12.9\*14.4cm  
 Plate size: 22.9\*12.8cm  
 Plate weight: 355g  
 QTY/20'GP: 4300pcs  
 QTY/40'GP: 8800pcs  
 QTY/40'HQ: 10500pcs



# WSD-228

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate:  $22 \pm 5$ g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 29.5\*13\*15.5cm  
Carton size: 67.5\*30.5\*33.5cm  
QTY/CTN: 10pcs  
N.W/G.W: 11.7/12.2kgs  
Unit size: 28.4\*12.9\*14.4cm  
Plate size: 22.9\*12.8cm  
Plate weight: 365g  
QTY/20'GP: 4050pcs  
QTY/40'GP: 8500pcs  
QTY/40'HQ: 10000pcs





# WSD-018

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 130ml
- Steam rate:  $20 \pm 5$ g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 25.8\*10.7\*14.2cm  
 Carton size: 56.5\*27\*30cm  
 QTY/CTN: 10pcs  
 N.W/G.W: 9.25/9.65kgs  
 Unit size: 24.4\*10.8\*13.2cm  
 Plate size: 20.1\*10.7cm  
 Plate weight: 266g  
 QTY/20'GP: 6050pcs  
 QTY/40'GP: 12600pcs  
 QTY/40'HQ: 14800pcs



# WSD-078

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 250ml
- Steam rate: 20±5g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 26.3\*10.8\*13.3cm

Carton size: 57.5\*27.2\*28.2cm

QTY/CTN: 10pcs

N.W/G.W: 9/9.5kgs

Unit size: 26.2\*10.8\*13.2cm

Plate size: 20.1\*10.7cm

Plate weight: 270g

QTY/20'GP: 6400pcs

QTY/40'GP: 13200pcs

QTY/40'HQ: 15500pcs





## WSD-088

- Dry Iron/steam ironing
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 100ml
- Steam rate:  $10 \pm 5$ g/min
- Cable  $180^\circ$  with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 25\*10.5\*12.5cm

Carton size: 43.5\*26.5\*39cm

QTY/CTN: 12pcs

N.W/G.W: 8.6/9.1kgs

Unit size: 24.6\*10.8\*11.9cm

Plate size: 20.7\*10.7cm

Plate weight: 270g

QTY/20'GP: 7392pcs

QTY/40'GP: 15300pcs

QTY/40'HQ: 18000pcs



# WSD-048A

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 90ml
- Steam rate: 10±5g/min
- Spray rate: 0.35g/press
- Burst rate: 0.35g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 25\*10.5\*12.5cm

Carton size: 43.5\*26\*39cm

QTY/CTN: 12pcs

N.W/G.W: 9.5/10kgs

Unit size: 24.5\*10.4\*11.1cm

Plate size: 19.8\*10.3cm

Plate weight: 230g

QTY/20'GP: 7580pcs

QTY/40'GP: 15720pcs

QTY/40'HQ: 18420pcs





## WSD-048B

- Dry Iron/steam ironing
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 90ml
- Steam rate:  $10 \pm 5$ g/min
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 25\*10.5\*12.5cm

Carton size: 43.5\*26\*39cm

QTY/CTN: 12pcs

N.W/G.W: 8.5/9kgs

Unit size: 24.5\*10.4\*11.1cm

Plate size: 19.8\*10.3cm

Plate weight: 230g

QTY/20'GP: 7580pcs

QTY/40'GP: 15720pcs

QTY/40'HQ: 18420pcs



# WSD-048C

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 25\*10.5\*12.5cm

Carton size: 43.5\*26\*39cm

QTY/CTN: 12pcs

N.W/G.W: 7.2/7.7kgs

Unit size: 24.5\*10.4\*11.1cm

Plate size: 19.8\*10.3cm

Plate weight: 175g

QTY/20'GP: 7580pcs

QTY/40'GP: 15720pcs

QTY/40'HQ: 18420pcs







# WSD-048D

- Dry Iron/steam ironing/water spray/
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 90ml
- Steam rate:  $10 \pm 5$ g/min
- Spray rate: 0.35g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-2200W

Giftbox size: 25\*10.5\*12.5cm

Carton size: 43.5\*26\*39cm

QTY/CTN: 12pcs

N.W/G.W :8.85/9.35kgs

Unit size: 24.5\*10.4\*11.1cm

Plate size: 19.8\*10.3cm

Plate weight: 205g

QTY/20'GP: 7580pcs

QTY/40'GP: 15720pcs

QTY/40'HQ: 18420pcs



# WSD-098A

- Dry Iron/steam ironing/water spray/
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 150ml
- Steam rate: 12±5g/min
- Spray rate: 0.35g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2300W

Giftbox size: 26\*11\*13cm  
Carton size: 56.5\*27.5\*27.5cm  
QTY/CTN: 10pcs  
N.W/G.W: 10.2/10.7kgs  
Unit size: 24.8\*10.9\*12.4cm  
Plate size: 19.4\*10.8cm  
Plate weight: 240g  
QTY/20'GP: 6600pcs  
QTY/40'GP: 13680pcs  
QTY/40'HQ: 16080pcs





## WSD-098B

- Dry Iron/water spray/
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 150ml
- Spray rate: 0.35g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 26\*11\*13cm

Carton size: 56.5\*27.5\*27.5cm

QTY/CTN: 10pcs

N.W/G.W: 8.7/9.2kgs

Unit size: 24.8\*10.9\*12.4cm

Plate size: 19.4\*10.8cm

Plate weight: 175g

Weight support: 150g

QTY/20'GP: 6600pcs

QTY/40'GP: 13660pcs

QTY/40'HQ: 16080pcs



# WSD-098C

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 26\*11\*13cm  
Carton size: 56.5\*27.5\*27.5cm  
QTY/CTN: 10pcs  
N.W/G.W: 8.34/8.84kgs  
Unit size: 24.8\*10.9\*12.4cm  
Plate size: 19.4\*10.8cm  
Plate weight: 175g  
Weight support: 150g  
QTY/20'GP: 6600pcs  
QTY/40'GP: 13660pcs  
QTY/40'HQ: 16080pcs





# WSD-138

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz 220V-240V/50Hz
- Output: 700-1500W

Giftbox size: 26.5\*10\*14cm  
 Carton size: 41.5\*28\*43.5cm  
 QTY/CTN: 12pcs  
 N.W/G.W: 7.85/8.35kgs  
 Unit size: 25.5\*10.3\*12.8cm  
 Plate size: 20.1\*10.2cm  
 Plate weight: 181g  
 Weight support: 150g  
 QTY/20'GP: 6600pcs  
 QTY/40'GP: 13500pcs  
 QTY/40'HQ: 15900pcs



# WSD-038

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 25\*10.5\*11.5cm

Carton size: 43.8\*26\*37.5cm

QTY/CTN: 12pcs

N.W/G.W: 7.75/8.25kgs

Unit size: 24.3\*10.3\*11cm

Plate size: 20.1\*10.2cm

Plate weight: 181g

Weight support: 250g

QTY/20'GP: 7800pcs

QTY/40'GP: 16800pcs

QTY/40'HQ: 19800pcs





## WSD-058

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 26\*11\*13cm  
 Carton size: 45.5\*27.5\*40.5cm  
 QTY/CTN: 12pcs  
 N.W/G.W: 8.75/9.25kgs  
 Unit size: 24.8\*10.9\*11.9cm  
 Plate size: 19.4\*10.8cm  
 Plate weight: 175g  
 Weight support: 150g  
 QTY/20'GP: 6600pcs  
 QTY/40'GP: 13680pcs  
 QTY/40'HQ: 14800pcs



# WSD-1255

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 27.5\*12\*11.5cm

Carton size: 63\*28.5\*24.6cm

QTY/CTN: 10pcs

N.W/G.W: 7.5/8kgs

Unit size: 27.2\*12\*11.2cm

Plate size: 11.3\*21.6cm

Plate weight: 206g

Weight support: 300g

QTY/20'GP: 6300pcs

QTY/40'GP: 13100pcs

QTY/40'HQ: 15300pcs







## WSD-238

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 24.5\*10\*11.5cm

Carton size: 42\*26\*47.5cm

QTY/CTN: 12pcs

N.W/G.W: 7.4/7.9kgs

Unit size: 24.3\*10.3\*11cm

Plate size: 20.1\*10.2cm

Plate weight: 181g

QTY/20'GP: 6360pcs

QTY/40'GP: 13320pcs


QTY/40'HQ: 15600pcs



# CERAMIC COATING



WSD-118  
WSD-218  
WSD-318



WSD-118  
WSD-218  
WSD-318



WSD-118  
WSD-218  
WSD-318



WSD-118  
WSD-218  
WSD-318



WSD-118  
WSD-218  
WSD-318



WSD-118  
WSD-218  
WSD-318



WSD-118  
WSD-218  
WSD-318



WSD-118  
WSD-218  
WSD-318



WSD-128




WSD-128




WSD-078  
WSD-018




WSD-078  
WSD-018



WSD-228  
WSD-028



WSD-228  
WSD-028



WSD-228  
WSD-028



WSD-158  
WSD-258  
WSD-358



WSD-158  
WSD-258  
WSD-358



WSD-158  
WSD-258  
WSD-358



WSD-009




WSD-009



WSD-009



WSD-009



WSD-328  
WSD-428



WSD-328  
WSD-428



WSD-328  
WSD-428




WSD-338




WSD-068  
WSD-168



WSD-068  
WSD-168



WSD-108  
WSD-088




WSD-048A  
WSD-048B  
WSD-048D




WSD-048A  
WSD-048B  
WSD-048D



WSD-048A  
WSD-048B  
WSD-048D




WSD-188  
WSD-288



WSD-098A



WSD-1255



WSD-098B  
WSD-098C  
WSD-058

*Wesdy*<sup>®</sup>

CIXI WEISHIDI ELECTRICAL APPLIANCE CO.,LTD.

ADD: No.298 Zhouhu road zhoouxiang Town,Cixi city Zhejiang,China

TEL: 86-574-63451508 63995508 63449508 63453508

FAX:86-574-63450508

E-MAIL:wesdy@wesdy.com

[www.wesdy.com](http://www.wesdy.com)