

Maked You Moved Everywhere

| WESDY ELECTRICAL APPLIANCE

| wesdy@wesdy.com

| www.wesdy.com



Wesdy[®]

About Us

Cixi Wesdy Electrical Appliance Co.Ltd. was established 2000. We are located in Zhouxiang town, Cixi city, Zhejiang, China, which is in the south bank of Hangzhou Bay, connecting with Shanghai through the cross sea Hangzhou bay bridge.

Our Company is professional manufacture and exporter with designing, developing, producing, selling and relative services. We specialize in producing various of electric irons. Moreover, Our company have got BSCI and ISO 9001 and the products have got CE/GS/CB/EMC/LVD/RoHS/REACH/ERP/CCC approval of European Union and have exported to overseas.

We have advanced producing, testing equipment and first-class assembly line. We pay great attention to product quality to make sure that supply the excellent products.

We regards "pursuing the excellence, demand the classic" as a goal, focus on exploration of new products, and the improvement of technical quality. We provide quality products and best service to all new and old customers with good reputation !



REACH RoHS LVD EMC BSCI



WESDY ELECTRIC IRON

Safety and eye catching design

Reliable and high quality

Conforms to relevant standards



safety



economical



convenient

WESDY ELECTRIC IR



WSD-009

- Steam ironing
- Temperature adjust knob
- Indicator light
- Optional function: auto-shut off ,anti drip,anti calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 1600ml
- Steam rate:min: 26 ± 5 g/min,mid: 35 ± 5 g/min,max: 45 ± 5 g/min
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W



Giftbox size: 38.5*22.2*27cm
Carton size: 46*39*55.5cm
QTY/CTN: 4pcs
N.W/G.W: 12/12.8kgs
iron size: 27*12.3*13.2cm
Base size: 35.5*19.3*16.7cm
Plate size: 12*21.5cm
QTY/20'GP: 1120pcs
QTY/40'GP: 2320pcs
QTY/40'HQ: 2720pcs

IRON





WSD-019

- Steam station
- Temperature adjust knob
- Indicator light
- Optional function :Anti-calc ,anti drip,auto shut off
- Soleplate:stainless steel/non-stick coating /ceramic coating
- Water capacity:1600ml
- Steam rate:min:26±5g/min,mid:35±5g/min,max:45±5g/min
- Cable 180°with break protection
- Voltage :110-127V/60Hz AC 220V-240V/50/60Hz
- Output :1650-2800W

Giftbox size :33*25*15cm

Carton size :51.5*34*31.5cm

QTY/CTN: 4pcs

N.W/G.W :7.8/8.2kgs

Unit size :30*22*12cm

Iron size:28*12*14cm

QTY/20'GP:2028pcs

QTY/40'GP:4204pcs

QTY/40'HQ:4924pcs





WSD-006

- Steam ironing
- Steam rate adjust knob
- Indicator light
- Optional function :auto-shut off
- Water capacity:220ml
- Steam rate:22±5g/min
- Cable 360°with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1400-1600W

Giftbox size: 28*15*13cm
 Carton size: 62*29*27.5cm
 QTY/CTN: 8pcs
 N.W/G.W: 8.2/8.7kgs
 Unit size: 25.2*14.5*11.6cm
 Plate size: 11*6cm
 Boiler weight: 200g
 QTY/20'GP: 4480pcs
 QTY/40'GP: 9360pcs
 QTY/40'HQ: 11000pcs



WSD-016

- Steam ironing
- Steam rate adjust knob
- Indicator light
- Optional function: auto-shut off
- Water capacity: 360ml
- Steam rate: $22 \pm 5\text{g/min}$
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1400-1600W

Giftbox size: 30.5*11.5*13.5cm

Carton size: 47.5*31.5*28.5cm

QTY/CTN: 8pcs

N.W/G.W: 8/8.5kgs

Unit size: 30*11*13cm

Plate size: 10.7*4.8cm

Boiler weight: 200g

QTY/20'GP: 5200pcs

QTY/40'GP: 10800pcs

QTY/40'HQ: 12704pcs



WSD-026

- Steam brush
- Steam rate adjust knob
- Indicator light
- Optional function :auto-shut off
- Water capacity:135ml
- Unit size :21*7.3*11m
- Boiler weight :145g
- Steam rate:18±5g/min
- Cable 360°with break protection
- Voltage :110-127V/60Hz AC 220V-240V/50/60Hz
- Output :1000-1400W

Giftbox size :30.5*11.5*13.5cm
 Carton size :47.5*31.5*28.5cm
 QTY/CTN: 15pcs
 N.W/G.W :11/11.7kgs
 QTY/20'GP:10800pcs
 QTY/40'GP:2220pcs
 QTY/40'HQ:26250pcs





WSD-428

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc, anti-drip, auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 400ml
- Steam rate: 28 ± 5 g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 30.5*12*16cm
 Carton size: 63*32*34cm
 QTY/CTN: 10pcs
 N.W/G.W: 11.5/12kgs
 Unit size: 30.5*12*15cm

Plate size: 22.5*11.5cm
 Plate weight: 330g
 QTY/20'GP: 4080pcs
 QTY/40'GP: 8400pcs
 QTY/40'HQ: 9900pcs



WSD-007A

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Selfclean
- Temperature adjust knob
- Indicator light
- Optional function :Anti-calc
- Soleplate:stainless steel/non-stick coating /ceramic coating
- Water capacity:240ml
- Steam rate:12±5g/min
- Spray rate :0.35g/press
- Burst rate :0.35g/press
- Cable 360° with break protection
- Voltage :110-127V/60Hz AC 220V-240V/50/60Hz
- Output :1100-2200W

Giftbox size :25.5*10.5*13.5cm

Carton size :43.9*26.5*42cm

QTY/CTN: 12pcs

N.W/G.W :7.8/8.2kgs

Unit size :25*10.4*12.8cm

Plate size :19*10cm

Plate weight :205g

QTY/20'GP:6840pcs

QTY/40'GP:142320pcs

QTY/40'HQ:16692pcs





WSD-007B

- Dry Iron/steam ironing
- Temperature adjust knob
- selfclean
- Indicator light
- Optional function :Anti-calc
- Soleplate:stainless steel/non-stick coating /ceramic coating
- Water capacity:240ml
- Steam rate: 12 ± 5 g/min
- Cable 360° with break protection
- Voltage :110-127V/60Hz AC 220V-240V/50/60Hz
- Output :1100-2200W Cable 360°with break protection
- Voltage :110-127V/60Hz AC 220V-240V/50/60Hz
- Output :1100-2200W

Giftbox size :25.5*10.5*13.5cm
 Carton size :43.9*26.5*42cm
 QTY/CTN: 12pcs
 N.W/G.W :7.6/8kgs
 Unit size :25*10.4*12.8cm

Plate size :19*10cm
 Plate weight :205g
 QTY/20'GP:6840pcs
 QTY/40'GP:142320pcs
 QTY/40'HQ:16692pcs



WSD-007D

- Dry Iron/steam ironing/water spray/
- Temperature adjust knob
- Selfclean
- Indicator light
- Optional function :Anti-calc
- Soleplate:stainless steel/non-stick coating /ceramic coating
- Water capacity:240ml
- Steam rate:12±5g/min
- Spray rate :0.35g/press
- Cable 360°with break protection
- Voltage :110-127V/60Hz AC 220V-240V/50/60Hz
- Output 1100-2200W

Giftbox size :25.5*10.5*13.5cm
 Carton size :43.9*26.5*42cm
 QTY/CTN: 12pcs
 N.W/G.W :7.7/8.1kgs
 Unit size :25*10.4*12.8cm

Plate size :19*10cm
 Plate weight :205g
 QTY/20'GP:6840pcs
 QTY/40'GP:142320pcs
 QTY/40'HQ:16692pcs





WSD-508

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function :Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 260ml
- Steam rate: 20 ± 5 g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W



Giftbox size: 26.3*11.2*13cm
 Carton size: 57.5*27.3*27.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 8.5/9.0kgs
 Unit size: 25.8*10.7*12.8cm

Plate size: 20.1*10.7cm
 Plate weight: 260g
 QTY/20' GP: 6400pcs
 QTY/40' GP: 13400pcs
 QTY/40' HQ: 15750pcs

WSD-518

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function :Anti-calc
- Soleplate:stainless steel/non-stick coating /ceramic coating
- Water capacity:260ml
- Steam rate:20±5g/min
- Spray rate :0.45g
- Burst rate :0.45g
- Cable 360°with break protection
- Voltage :110-127V/60Hz AC 220V-240V/50/60Hz
- Output :1300-2300W

Giftbox size :27*11.5*13.5cm
 Carton size :59*28*28.5cm
 QTY/CTN: 10pcs
 N.W/G.W :8.5/9.0kgs
 Unit size :26.5*11*13cm
 Plate size :201*107cm
 Plate weight :260g
 QTY/20'GP:5900pcs
 QTY/40'GP:12300pcs
 QTY/40'HQ:14400pcs





WSD-538

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function :Anti-calc
- Soleplate:stainless steel/non-stick coating /ceramic coating
- Water capacity:260ml
- Steam rate:20±5g/min
- Spray rate :0.45g
- Burst rate :0.45g
- Cable 360°with break protection
- Voltage :110-127V/60Hz AC 220V-240V/50/60Hz
- Output :1300-2300W

Giftbox size :27*11.5*13.5cm
 Carton size :59*28*28.5cm
 QTY/CTN: 10pcs
 N.W/G.W :8.5/9.0kgs
 Unit size :26.5*11*13cm

Plate size :201*107cm
 Plate weight :260g
 QTY/20'GP:5900pcs
 QTY/40'GP:12300pcs
 QTY/40'HQ:14400pcs



WSD-338

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: non-stick coating / ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 25.5*11.5*13cm
Carton size: 47.5*26.5*40.5cm
QTY/CTN: 12pcs
N.W/G.W: 8/8.5kgs
Unit size: 25.5*11*12cm
Plate size: 20.5*11cm

Plate weight: 149g
Weight support: 400g
QTY/20'GP: 6588pcs
QTY/40'GP: 13644pcs
QTY/40'HQ: 15996pcs





WSD-348

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: non-stick coating / ceramic coating
- Unit size : 25.5*11*12cm
- Plate size : 20.5*11cm
- Plate weight : 149g
- Weight support : 400g
- Cable 360° with break protection
- Voltage : 110-127V/60Hz AC 220V-240V/50/60Hz
- Output : 700-1500W

Giftbox size : 25.5*11.5*13cm
Carton size : 47.5*26.5*40.5cm
QTY/CTN: 12pcs
N.W/G.W : 8/8.5kgs
QTY/20'GP: 6588pcs
QTY/40'GP: 13644pcs
QTY/40'HQ: 15996pcs



WSD-218

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 300ml
- Steam rate: $25 \pm 5\text{g/min}$
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 28*11.5*15cm
 Carton size: 59*29.5*31.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 9.7/10.2kgs
 Unit size: 27.5*11.5*15cm

Plate size: 21.3*11.3cm
 Plate weight: 277g
 QTY/20'GP: 5100pcs
 QTY/40'GP: 10500pcs
 QTY/40'HQ: 12350pcs





WSD-428

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc, anti-drip, auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 400ml
- Steam rate: 28 ± 5 g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 30.5*12*16cm
 Carton size: 63*32*34cm
 QTY/CTN: 10pcs
 N.W/G.W: 11.5/12kgs
 Unit size: 30.5*12*15cm

Plate size: 22.5*11.5cm
 Plate weight: 330g
 QTY/20'GP: 4080pcs
 QTY/40'GP: 8400pcs
 QTY/40'HQ: 9900pcs



WSD-118

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 300ml
- Steam rate: 25 ± 5 g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 28.5*11.3*15.5cm

Carton size: 59.5*30*33cm

QTY/CTN: 10pcs

N.W/G.W: 9.6/10.1kgs

Unit size: 28.5*11.3*15cm

Plate size: 21.3*11.3cm

Plate weight: 277g

QTY/20'GP: 4600pcs

QTY/40'GP: 9800pcs

QTY/40'HQ: 11500pcs





WSD-318

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 300ml
- Steam rate: 25 ± 5 g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 28.5*11.5*15cm
 Carton size: 60.5*30*32cm
 QTY/CTN: 10pcs
 N.W/G.W: 9.5/10kgs
 Unit size: 28*12*14.5cm

Plate size: 21.3*11.3cm
 Plate weight: 277g
 QTY/20'GP: 4800pcs
 QTY/40'GP: 9950pcs
 QTY/40'HQ: 11650pcs



WSD-108

- Dry Iron/steam ironing/water spray
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 300ml
- Steam rate: $10 \pm 5\text{g/min}$
- Spray rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 27.5*11*14.5cm

Carton size: 58*28.5*31cm

QTY/CTN: 10pcs

N.W/G.W: 8.15/8.65KGS

Unit size: 27.3*10.5*14cm

Plate size: 20.7*10.7cm

Plate weight: 200g

QTY/20'GP: 5200pcs

QTY/40'GP: 10900pcs

QTY/40'HQ: 12800pcs





WSD-358

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 160ml
- Steam rate: 20 ± 5 g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 26*10.5*13.5cm
 Carton size: 55*27.5*28.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 8.3/8.8kgs
 Unit size: 25*10*13cm

Plate size: 18.4*10cm
 Plate weight: 221g
 QTY/20'GP: 6400pcs
 QTY/40'GP: 13400pcs
 QTY/40'HQ: 15750pcs



WSD-258

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 160ml
- Steam rate: 20±5g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 26*10*13.5cm
 Carton size: 51.5*27*28.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 8/8.5kgs
 Unit size: 25*10.5*13cm

Plate size: 18.4*10cm
 Plate weight: 221g
 QTY/20' GP: 7000pcs
 QTY/40' GP: 14600pcs
 QTY/40' HQ: 17100pcs





WSD-158

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 140ml
- Steam rate: $20 \pm 5\text{g/min}$
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 25.5*10.5*13.5cm
 Carton size: 54*26.5*28.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 8.3/8.8kgs
 Unit size: 25*10.5*13cm

Plate size: 18.4*10cm
 Plate weight: 221g
 QTY/20'GP: 6800pcs
 QTY/40'GP: 14000pcs
 QTY/40'HQ: 16600pcs



WSD-188

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 30±5g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W



Giftbox size: 30*12.5*15.5cm
 Carton size: 64.5*31*33cm
 QTY/CTN: 10pcs
 N.W/G.W: 12/12.5kgs
 Unit size: 30*11.5*15cm

Plate size: 22.8*12.5cm
 Plate weight: 330g
 QTY/20'GP: 4200pcs
 QTY/40'GP: 8750pcs
 QTY/40'HQ: 10250pcs





WSD-168

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 280ml
- Steam rate: $30 \pm 5\text{g/min}$
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 31*12*16cm
 Carton size: 62.5*32*33cm
 QTY/CTN: 10pcs
 N.W/G.W: 12.3/12.8kgs
 Unit size: 30.5*11.5*15.5cm

Plate size: 23*11.5cm
 Plate weight: 367g
 QTY/20'GP: 4100pcs
 QTY/40'GP: 8600pcs
 QTY/40'HQ: 10100pcs



WSD-068

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc, anti-drip, auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 30 ± 5 g/min
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 29.5*12*15cm
 Carton size: 61.5*30*31cm
 QTY/CTN: 10pcs
 N.W/G.W: 11.85/12.35kgs
 Unit size: 29.2*11.7*13.9cm

Plate size: 22.5*12cm
 Plate weight: 367g
 QTY/20'GP: 4700pcs
 QTY/40'GP: 9800pcs
 QTY/40'HQ: 11600pcs





WSD-328

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: $30 \pm 5\text{g/min}$
- Spray rate: 0.45g
- Burst rate: 0.45g
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 30*11.5*15cm
 Carton size: 60*31*32cm
 QTY/CTN: 10pcs
 N.W/G.W: 11.2/11.7kgs
 Unit size: 29.5*11.5*15cm

Plate size: 22.5*11.5cm
 Plate weight: 330g
 QTY/20'GP: 4700pcs
 QTY/40'GP: 9700pcs
 QTY/40'HQ: 11400pcs



WSD-128

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-clac,anti -drip,auto-shut off
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 25 ± 5 g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 29.5*13*15cm
 Carton size: 67.5*30.5*31.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 11.9/12.4kgs
 Unit size: 29.5*12.8*14.3cm

Plate size: 24.1*13cm
 Plate weight: 356g
 QTY/20'GP: 4300pcs
 QTY/40'GP: 8800pcs
 QTY/40'HQ: 10450pcs





WSD-028

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 22 ± 5 g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 28.5*13*15.5cm
 Carton size: 67.5*29.5*32.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 12.3/12.7kgs
 Unit size: 28.4*12.9*14.4cm

Plate size: 22.9*12.8cm
 Plate weight: 355g
 QTY/20'GP: 4300pcs
 QTY/40'GP: 8800pcs
 QTY/40'HQ: 10500pcs



WSD-228

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Self clean
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 350ml
- Steam rate: 22 ± 5 g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1650-2800W

Giftbox size: 29.5*13*15.5cm
 Carton size: 67.5*30.5*33.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 11.7/12.2kgs
 Unit size: 28.4*12.9*14.4cm

Plate size: 22.9*12.8cm
 Plate weight: 365g
 QTY/20'GP: 4050pcs
 QTY/40'GP: 8500pcs
 QTY/40'HQ: 10000pcs





WSD-018

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 130ml
- Steam rate: 20 ± 5 g/min
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 25.8*10.7*14.2cm

Carton size: 56.5*27*30cm

QTY/CTN: 10pcs

N.W/G.W: 9.25/9.65kgs

Unit size: 24.4*10.8*13.2cm

Plate size: 20.1*10.7cm

Plate weight: 266g

QTY/20'GP: 6050pcs

QTY/40'GP: 12600pcs

QTY/40'HQ: 14800pcs



WSD-078

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Temperature adjust knob
- Indicator light
- Optional function: Anti-calc
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 250ml
- Steam rate: $20 \pm 5\text{g/min}$
- Spray rate: 0.45g/press
- Burst rate: 0.45g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1300-2300W

Giftbox size: 26.3*10.8*13.3cm
 Carton size: 57.5*27.2*28.2cm
 QTY/CTN: 10pcs
 N.W/G.W: 9/9.5kgs
 Unit size: 26.2*10.8*13.2cm

Plate size: 20.1*10.7cm
 Plate weight: 270g
 QTY/20'GP: 6400pcs
 QTY/40'GP: 13200pcs
 QTY/40'HQ: 15500pcs





WSD-088

- Dry Iron/steam ironing
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 100ml
- Steam rate: 10 ± 5 g/min
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 25*10.5*12.5cm
 Carton size: 43.5*26.5*39cm
 QTY/CTN: 12pcs
 N.W/G.W: 8.6/9.1kgs
 Unit size: 24.6*10.8*11.9cm

Plate size: 20.7*10.7cm
 Plate weight: 270g
 QTY/20'GP: 7392pcs
 QTY/40'GP: 15300pcs
 QTY/40'HQ: 18000pcs



WSD-048A

- Dry Iron/steam ironing/water spray/
- Vertical steam
- Burst steam
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 90ml
- Steam rate: $10 \pm 5\text{g/min}$
- Spray rate: 0.35g/press
- Burst rate: 0.35g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 25*10.5*12.5cm

Carton size: 43.5*26*39cm

QTY/CTN: 12pcs

N.W/G.W: 9.5/10kgs

Unit size: 24.5*10.4*11.1cm

Plate size: 19.8*10.3cm

Plate weight: 230g

QTY/20'GP: 7580pcs

QTY/40'GP: 15720pcs

QTY/40'HQ: 18420pcs





WSD-048B

- Dry Iron/steam ironing
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 90ml
- Steam rate: 10 ± 5 g/min
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2200W

Giftbox size: 25*10.5*12.5cm

Carton size: 43.5*26*39cm

QTY/CTN: 12pcs

N.W/G.W: 8.5/9kgs

Unit size: 24.5*10.4*11.1cm

Plate size: 19.8*10.3cm

Plate weight: 230g

QTY/20'GP: 7580pcs

QTY/40'GP: 15720pcs

QTY/40'HQ: 18420pcs



WSD-048C

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 25*10.5*12.5cm

Carton size: 43.5*26*39cm

QTY/CTN: 12pcs

N.W/G.W: 7.2/7.7kgs

Unit size: 24.5*10.4*11.1cm

Plate size: 19.8*10.3cm

Plate weight: 175g

QTY/20'GP: 7580pcs

QTY/40'GP: 15720pcs

QTY/40'HQ: 18420pcs





WSD-048D

- Dry Iron/steam ironing/water spray/
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 90ml
- Steam rate: 10 ± 5 g/min
- Spray rate: 0.35g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-2200W

Giftbox size: 25*10.5*12.5cm

Carton size: 43.5*26*39cm

QTY/CTN: 12pcs

N.W/G.W :8.85/9.35kgs

Unit size: 24.5*10.4*11.1cm

Plate size: 19.8*10.3cm

Plate weight: 205g

QTY/20'GP: 7580pcs

QTY/40'GP: 15720pcs

QTY/40'HQ: 18420pcs



WSD-098A

- Dry Iron/steam ironing/water spray/
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 150ml
- Steam rate: 12 ± 5 g/min
- Spray rate: 0.35g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 1100-2300W

Giftbox size: 26*11*13cm
Carton size: 56.5*27.5*27.5cm
QTY/CTN: 10pcs
N.W/G.W: 10.2/10.7kgs
Unit size: 24.8*10.9*12.4cm
Plate size: 19.4*10.8cm
Plate weight: 240g
QTY/20'GP: 6600pcs
QTY/40'GP: 13680pcs
QTY/40'HQ: 16080pcs





WSD-098B

- Dry Iron/water spray/
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Water capacity: 150ml
- Spray rate: 0.35g/press
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 26*11*13cm
 Carton size: 56.5*27.5*27.5cm
 QTY/CTN: 10pcs
 N.W/G.W: 8.7/9.2kgs
 Unit size: 24.8*10.9*12.4cm
 Plate size: 19.4*10.8cm
 Plate weight: 175g
 Weight support: 150g
 QTY/20'GP: 6600pcs
 QTY/40'GP: 13660pcs
 QTY/40'HQ: 16080pcs



WSD-098C

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 26*11*13cm
Carton size: 56.5*27.5*27.5cm
QTY/CTN: 10pcs
N.W/G.W: 8.34/8.84kgs
Unit size: 24.8*10.9*12.4cm
Plate size: 19.4*10.8cm
Plate weight: 175g
Weight support: 150g
QTY/20'GP: 6600pcs
QTY/40'GP: 13660pcs
QTY/40'HQ: 16080pcs





WSD-138

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz 220V-240V/50Hz
- Output: 700-1500W

Giftbox size: 26.5*10*14cm
 Carton size: 41.5*28*43.5cm
 QTY/CTN: 12pcs
 N.W/G.W: 7.85/8.35kgs
 Unit size: 25.5*10.3*12.8cm
 Plate size: 20.1*10.2cm
 Plate weight: 181g
 Weight support: 150g
 QTY/20'GP: 6600pcs
 QTY/40'GP: 13500pcs
 QTY/40'HQ: 15900pcs



WSD-038

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 25*10.5*11.5cm
Carton size: 43.8*26*37.5cm
QTY/CTN: 12pcs
N.W/G.W: 7.75/8.25kgs
Unit size: 24.3*10.3*11cm
Plate size: 20.1*10.2cm
Plate weight: 181g
Weight support: 250g
QTY/20'GP: 7800pcs
QTY/40'GP: 16800pcs
QTY/40'HQ: 19800pcs





WSD-058

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 360° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 26*11*13cm
Carton size: 45.5*27.5*40.5cm
QTY/CTN: 12pcs
N.W/G.W: 8.75/9.25kgs
Unit size: 24.8*10.9*11.9cm
Plate size: 19.4*10.8cm
Plate weight: 175g
Weight support: 150g
QTY/20'GP: 6600pcs
QTY/40'GP: 13680pcs
QTY/40'HQ: 14800pcs



WSD-1255

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 27.5*12*11.5cm

Carton size: 63*28.5*24.6cm

QTY/CTN: 10pcs

N.W/G.W: 7.5/8kgs

Unit size: 27.2*12*11.2cm

Plate size: 11.3*21.6cm

Plate weight: 206g

Weight support: 300g

QTY/20'GP: 6300pcs

QTY/40'GP: 13100pcs

QTY/40'HQ: 15300pcs





WSD-238

- Dry Iron
- Temperature adjust knob
- Indicator light
- Soleplate: stainless steel/non-stick coating /ceramic coating
- Cable 180° with break protection
- Voltage: 110-127V/60Hz AC 220V-240V/50/60Hz
- Output: 700-1500W

Giftbox size: 24.5*10*11.5cm
Carton size: 42*26*36.5cm
QTY/CTN: 12pcs
N.W/G.W: 7.4/7.9kgs
Unit size: 24.3*10.3*11cm
Plate size: 20.1*10.2cm
Plate weight: 181g
QTY/20' GP: 8424pcs
QTY/40' GP: 17460pcs
QTY/40' HQ: 20472pcs



CERAMIC COATING



WSD-007A
WSD-007B
WSD-007D



WSD-007A
WSD-007B
WSD-007D



WSD-518
WSD-538
WSD-508



WSD-518
WSD-538
WSD-508



WSD-518
WSD-538
WSD-508



WSD-108
WSD-088



WSD-118
WSD-218
WSD-318



WSD-118
WSD-218
WSD-318



WSD-118
WSD-218
WSD-318



WSD-118
WSD-218
WSD-318



WSD-118
WSD-218
WSD-318



WSD-118
WSD-218
WSD-318



WSD-118
WSD-218
WSD-318



WSD-118
WSD-218
WSD-318



WSD-128



WSD-128



WSD-078
WSD-018



WSD-078
WSD-018



WSD-228
WSD-028



WSD-228
WSD-028



WSD-228
WSD-028



WSD-158
WSD-258
WSD-358



WSD-158
WSD-258
WSD-358



WSD-158
WSD-258
WSD-358



WSD-009
WSD-019



WSD-009
WSD-019



WSD-009
WSD-019



WSD-009
WSD-019



WSD-328
WSD-428



WSD-328
WSD-428



WSD-328
WSD-428



WSD-338
WSD-348



WSD-338
WSD-348



WSD-068
WSD-168



WSD-068
WSD-168



WSD-048A
WSD-048B
WSD-048D



WSD-048A
WSD-048B
WSD-048D



WSD-048A
WSD-048B
WSD-048D



WSD-188
WSD-288



WSD-098A



WSD-1255



WSD-098B
WSD-098C
WSD-058



CIXI WESDY ELECTRICAL APPLIANCE CO.,LTD.

ADD: No.298 Zhouhu road zhoouxang Town,Cixi city Zhejiang,China

TEL: 86-574-63451508 63995508 63449508 63453508

FAX:86-574-63450508

E-MAIL:wesdy@wesdy.com

www.wesdy.com